

Solstice® ZE Refrigerant (R-1234ze(E))

000000016095

Version 2.13

Revision Date 20.03.2023

Supersedes 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : Solstice® ZE Refrigerant (R-1234ze(E))
SDS-number : 000000016095
Type of product : Substance
Remarks : SDS according to Art. 31 of Regulation (EC) 1907/2006.
Chemical name : trans-1,3,3,3-Tetrafluoroprop-1-ene
CAS-No. : 29118-24-9
REACH Registration Number : no data available

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Refrigerant
Uses advised against : none

1.3. Details of the supplier of the safety data sheet

Company : Honeywell Advanced Limited Honeywell International, Inc.
Riverview House,Harvey's 115 Tabor Road
Quay Apartments Morris Plains, NJ 07950-2546
V94 R3DE Limerick USA
Ireland
Telephone : (353) 1 903 9302
For further information, please contact: : PMTEU Product Stewardship:
SafetyDataSheet@Honeywell.com

1.4. Emergency telephone number

Emergency telephone number : +1-703-527-3887 (ChemTrec-Transport)
+1-303-389-1414 (Medical)
Country based Poison Control Center : see chapter 15.1

Solstice® ZE Refrigerant (R-1234ze(E))

000000016095

Version 2.13

Revision Date 20.03.2023

Supersedes 1

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008

Gases under pressure Liquefied gas
H280 Contains gas under pressure; may explode if heated.

2.2. Label elements

REGULATION (EC) No 1272/2008

Hazard pictograms



Signal word

: Warning

Hazard statements

: H280

Contains gas under pressure; may explode if heated.

Precautionary statements

: P410 + P403

Protect from sunlight. Store in a well-ventilated place.

Special labelling of certain products:

: Contains fluorinated greenhouse gases.

2.3. Other hazards

Gas reduces oxygen available for breathing.

SECTION 3: Composition/information on ingredients

3.1. Substance

Chemical name	CAS-No. Index-No. REACH Registration Number EC-No.	Classification 1272/2008	Concentration	Remarks

Solstice® ZE Refrigerant (R-1234ze(E))

000000016095

Version 2.13

Revision Date 20.03.2023

Supersedes 1

trans-1,3,3,3-Tetrafluoroprop-1-ene	29118-24-9 471-480-0	Press. Gas ; H280	100 %	
-------------------------------------	-------------------------	-------------------	-------	--

3.2. Mixture

Not applicable

Occupational Exposure Limit(s), if available, are listed in Section 8.
For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice:

First aider needs to protect himself. Move out of dangerous area. Keep warm and in a quiet place. Show this safety data sheet to the doctor in attendance. Take off all contaminated clothing immediately.

Inhalation:

If inhaled, remove to fresh air. Get medical attention if irritation develops and persists.

Skin contact:

Rapid evaporation of the liquid may cause frostbite. If there is evidence of frostbite, bathe (do not rub) with lukewarm (not hot) water. If water is not available, cover with a clean, soft cloth or similar covering. Call a physician if irritation develops or persists.

Eye contact:

Immediately flush eye(s) with plenty of water. Call a physician immediately.

Ingestion:

Ingestion is unlikely because of the physical properties and is not expected to be hazardous. As this product is a gas, refer to the inhalation section.

4.2. Most important symptoms and effects, both acute and delayed

No data available

4.3. Indication of any immediate medical attention and special treatment needed

Solstice® ZE Refrigerant (R-1234ze(E))

000000016095

Version 2.13

Revision Date 20.03.2023

Supersedes 1

No data available

See Section 11 for more detailed information on health effects and symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Water mist

Dry powder

Foam

Carbon dioxide (CO₂)

5.2. Special hazards arising from the substance or mixture

Contents under pressure.

Heating will cause pressure rise with risk of bursting

Cool closed containers exposed to fire with water spray.

Product is not combustible under normal conditions.

However, this material can ignite when mixed with air under pressure and exposed to strong ignition sources.

Do not allow run-off from fire fighting to enter drains or water courses.

Vapours are heavier than air and can cause suffocation by reducing oxygen available for breathing.

Some risk may be expected of corrosive and toxic decomposition products.

Fire may cause evolution of:

Hydrogen fluoride

Carbon oxides

Carbonyl halides

Halogenated compounds

Solstice® ZE Refrigerant (R-1234ze(E))

000000016095

Version 2.13

Revision Date 20.03.2023

Supersedes 1

5.3. Advice for firefighters

Wear full protective clothing and self-contained breathing apparatus.
Exposure to decomposition products may be a hazard to health.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. In the event of fire, cool tanks with water spray.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Vapours are heavier than air and can cause suffocation by reducing oxygen available for breathing. Avoid skin contact with leaking liquid (danger of frostbite). Use personal protective equipment. Keep people away from and upwind of spill/leak.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. The product evaporates readily. Prevent spreading over a wide area (e.g. by containment or oil barriers).

6.3. Methods and materials for containment and cleaning up

Do not direct water spray at the point of leakage.
Allow to evaporate.

6.4. Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling:

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Exhaust ventilation at the object is necessary.

Advice on protection against fire and explosion:

Do not spray on a naked flame or any incandescent material. Keep away from direct sunlight. Fire or intense heat may cause violent rupture of packages. Vapours may form explosive mixtures with air. The product is not easily combustible.

Hygiene measures:

Solstice® ZE Refrigerant (R-1234ze(E))

000000016095

Version 2.13

Revision Date 20.03.2023

Supersedes 1

Avoid breathing vapours, mist or gas. Keep working clothes separately.

7.2. Conditions for safe storage, including any incompatibilities

Further information on storage conditions:

Keep containers tightly closed in a cool, well-ventilated place. Keep only in the original container at temperature not exceeding 50°C Keep away from direct sunlight.

Advice on common storage:

Do not store together with: Oxidizing agents

7.3. Specific end use(s)

no additional data available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits:

Components	Basis / Value type	Value / Form of exposure	Exceeding Factor	Remarks
trans-1,3,3,3-Tetrafluoroprop-1-ene	HONEYWELL TWA	800 ppm		We are not aware of any national exposure limit.

TWA - Time weighted average

DNEL/ PNEC-Values

Component	End-use/impact	Exposure duration	Value	Exposure routes	Remarks
trans-1,3,3,3-Tetrafluoroprop-1-ene	Workers / Long-term systemic effects		3902 mg/m ³	Inhalation	
trans-1,3,3,3-Tetrafluoroprop-1-ene	Consumers / Long-term systemic effects		830 mg/m ³	Inhalation	

Solstice® ZE Refrigerant (R-1234ze(E))

000000016095

Version 2.13

Revision Date 20.03.2023

Supersedes 1

Component	Environmental compartment / Value	Remarks
trans-1,3,3,3-Tetrafluoroprop-1-ene	Fresh water: 0,1 mg/l	Assessment factor: 1000

8.2. Exposure controls

Occupational exposure controls

The Personal Protective Equipment must be in accordance with EN standards:respirator EN 136, 140, 149; safety glasses EN 166; protective suit: EN 340, 463, 468, 943-1, 943-2; gloves EN 374, 511; safety shoes EN-ISO 20345.

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Avoid inhalation of vapour or mist.

Engineering measures

Local exhaust

Personal protective equipment

Respiratory protection:

In case of insufficient ventilation wear suitable respiratory equipment.

Self-contained breathing apparatus (EN 133)

Hand protection:

Protective gloves against cold
(EN 511)

Gloves must be inspected prior to use.

Replace when worn.

Eye protection:

Goggles

Skin and body protection:

Wear suitable protective equipment.

Protective footwear

Solstice® ZE Refrigerant (R-1234ze(E))

000000016095

Version 2.13

Revision Date 20.03.2023

Supersedes 1

Environmental exposure controls

Handle in accordance with local environmental regulations and good industrial practices.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	:	gaseous
Colour	:	colourless
Odour	:	slight ether-like
Boiling point/boiling range	:	-19 °C
Flammability	:	does not ignite Method: Flammability (gases)
Upper explosion limit	:	No LEL and UEL was assigned at standard testing conditions, 20°C. Exhibits flame limits at temperatures in excess of 28° C.
Lower explosion limit	:	No LEL and UEL was assigned at standard testing conditions, 20°C. Exhibits flame limits at temperatures in excess of 28° C.
Flash point	:	Not applicable
Decomposition temperature	:	Hazardous decomposition products formed under fire conditions. To avoid thermal decomposition, do not overheat.
pH	:	neutral
Auto-ignition temperature	:	368 °C
Viscosity, kinematic	:	No data available
Water solubility	:	0,373 g/l
Partition coefficient: n-	:	log Pow 1,6

Solstice® ZE Refrigerant (R-1234ze(E))

000000016095

Version 2.13

Revision Date 20.03.2023

Supersedes 1

octanol/water

Vapour pressure : 4.271 hPa
at 20 °C

Vapour pressure : 11.152 hPa
at 54,4 °C

Density : 1,17 g/cm³
at 21,1 °C

Relative vapour density : 4
(Air = 1.0)

9.2 Other Information

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : No data available

Viscosity, dynamic : No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

Hazardous decomposition products formed under fire conditions.
To avoid thermal decomposition, do not overheat.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

Solstice® ZE Refrigerant (R-1234ze(E))

000000016095

Version 2.13

Revision Date 20.03.2023

Supersedes 1

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50 °C.
Can form a combustible mixture with air at pressures above atmospheric pressure.

10.5. Incompatible materials

Reactions with alkali metals.

10.6. Hazardous decomposition products

Halogenated compounds
Carbon oxides
Hydrogen fluoride
Carbonyl halides

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute oral toxicity:

Not applicable
study technically not feasible

Acute dermal toxicity:

No data available
study technically not feasible

Acute inhalation toxicity:

LC0
Species: Rat
Value: > 207000 ppm
Exposure time: 4 h
Method: OECD Test Guideline 403

Skin irritation:

Species: Rabbit
Result: No skin irritation
Method: OECD Test Guideline 404

Eye irritation:

No data available
study technically not feasible

Respiratory or skin sensitisation:

Species: human

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Honeywell

Solstice® ZE Refrigerant (R-1234ze(E))

000000016095

Version 2.13

Revision Date 20.03.2023

Supersedes 1

Result: Does not cause skin sensitisation.

Repeated dose toxicity:

Species: Rat

Application Route: Inhalation

Exposure time: 90 d

NOEL: 5000

Method: OECD Test Guideline 413

Note: Subchronic toxicity

Carcinogenicity:

Note: No data available

Germ cell mutagenicity:

Test Method: Chromosome aberration test in vitro

Cell type: Human lymphocytes

Result: negative

Method: OECD Test Guideline 473

Test Method: Ames test

Result: negative

Test Method: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)

Species: Mouse

Cell type: Micronucleus

Application Route: Inhalation

Method: OECD Test Guideline 474

Result: negative

Reproductive toxicity:

Test Type: Two-generation study

Method: OECD Test Guideline 416

Species: Rat

Route of Application: Inhalation

General Toxicity - Parent: NOEL: > 20.000 ppm

General Toxicity F1: NOEL: > 20.000 ppm

Method: OECD Test Guideline 414

Species: Rat

Route of Application: Inhalation

General Toxicity Maternal: NOEC: 15.000 ppm

Developmental Toxicity: NOAEC: 15.000 ppm

Solstice® ZE Refrigerant (R-1234ze(E))

000000016095

Version 2.13

Revision Date 20.03.2023

Supersedes 1

Aspiration hazard:
No data available

11.2. Information on other hazards

Endocrine disrupting properties
No data available

Other information:
Cardiac Sensitization (dog): No effects

SECTION 12: Ecological information

12.1. Toxicity

Toxicity to fish:
LC0
static test
Species: Cyprinus carpio (Carp)
Value: > 117 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to aquatic plants:
NOEC
Growth rate
Species: Algae
Value: > 170 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC
Biomass
Species: Algae
Value: > 170 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to aquatic invertebrates:
EC50
static test
Species: Daphnia magna (Water flea)

Solstice® ZE Refrigerant (R-1234ze(E))

000000016095

Version 2.13

Revision Date 20.03.2023

Supersedes 1

Value: > 160 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

12.2. Persistence and degradability

Biodegradability:
aerobic
Result: Not readily biodegradable.

12.3. Bioaccumulative potential

No bioaccumulation is to be expected (log Pow <= 4).

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This substance is not considered to be persistent, bioaccumulating and toxic (PBT).
This substance is not considered to be very persistent and very bioaccumulating (vPvB).

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product:
Dispose according to legal requirements. Contact manufacturer.

Packaging:
Legal requirements are to be considered in regard of reuse or disposal of used packaging materials

Further information:
Provisions relating to waste:
EC Directive 2006/12/EC; 2008/98/EEC
Regulation No. 1013/2006

Solstice® ZE Refrigerant (R-1234ze(E))

000000016095

Version 2.13

Revision Date 20.03.2023

Supersedes 1

For personal protection see section 8.

SECTION 14: Transport information

14.1 UN number

ADR/RID:3163

IMDG:3163

IATA:3163

14.2 UN proper shipping name

ADR/RID:LIQUEFIED GAS, N.O.S.(TRANS-1,3,3,3-TETRAFLUOROPROP-1-ENE)

IMDG:LIQUEFIED GAS, N.O.S.(TRANS-1,3,3,3-TETRAFLUOROPROP-1-ENE)

IATA:Liquefied gas, n.o.s.(trans-1,3,3,3-Tetrafluoroprop-1-ene)

14.3 Transport hazard class(es)

ADR/RID: 2.2

IMDG: 2.2

IATA: 2.2

14.4 Packaging group

14.5 Environmental hazards

ADR/RID:no

Marine pollutant: no

14.6 Special precautions for user

No data available

14.7 Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Basis	Value	Remarks
Substances of very high concern (SVHC)		This product does not contain substances of very high concern according to Regulation (EC) No Article 57 above the respective regulatory 1907/2006 (REACH), concentration limit of ≥ 0.1 % (w/w).
Regulation (EC) No. 1907/2006, Annex XIV		Not listed

Solstice® ZE Refrigerant (R-1234ze(E))

000000016095

Version 2.13

Revision Date 20.03.2023

Supersedes 1

Regulation (EC) No. 1907/2006, Annex XVII		Not listed
Regulation (EU) No 517/2014 Annex II		Listed

Poison Control Center

Country	Phone Number
Austria	+4314064343
Belgium	070 245245
Bulgaria	(+)35929154233
Croatia	(+3851)23-48-342
Cyprus	+357 2240 5611
Czech Republic	+420224919293; +420224915402
Denmark	82121212
Estonia	16662; (+372)6269390
Finland	9471977
France	+33(0)145425959
Greece	+30 210 779 3777
Hungary	(+36-80)201-199
Iceland	5432222
Ireland	+353(1)8092166
Italy	0382 24444
Germany	Berlin : 030/19240
	Bonn : 0228/19240
	Erfurt : 0361/730730
	Freiburg : 0761/19240
	Göttingen : 0551/19240
	Homburg : 06841/19240
Mainz : 06131/19240	

Country	Phone Number
Liechtenstein	+41 442515151
Lithuania	+370532362052
Luxembourg	070245245; (+352)80002-5500
Malta	+356 2395 2000
Netherlands	030-2748888
Norway	22591300
Poland	+48 42 25 38 400
Portugal	800250250
Romania	+40 21 318 3606
Slovakia (NTIC)	+421 2 54 774 166
Slovenia	+386 1 400 6051
Spain	+34915620420
Sweden	112 (begär Giftinformation); +46104566786
Switzerland	145
United Kingdom	(+44) 844 892 0111

Solstice® ZE Refrigerant (R-1234ze(E))

000000016095

Version 2.13

Revision Date 20.03.2023

Supersedes 1

	Munich : 089/19240
Latvia	+37167042473

Other inventory information

US. Toxic Substances Control Act
On TSCA Inventory

Australia. Inventory of Industrial Chemicals (AIIC), as amended
On the inventory, or in compliance with the inventory

Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL)
All components of this product are on the Canadian DSL

Japan. Kashin-Hou Law List
On the inventory, or in compliance with the inventory

Korea. Existing Chemicals Inventory (KECI)
On the inventory, or in compliance with the inventory

Philippines. Inventory of Chemicals and Chemical Substances (PICCS)
Not in compliance with the inventory

China. Inventory of Existing Chemical Substances (IECSC)
On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand
On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory (TCSI)
On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

A chemical safety assessment has been carried out. In accordance to the article 14(4) of the REACH regulation (EC) No. 1907/2006, exposure estimation and risk characterization is not required.

Solstice® ZE Refrigerant (R-1234ze(E))

000000016095

Version 2.13

Revision Date 20.03.2023

Supersedes 1

SECTION 16: Other information

Text of H-statements referred to under heading 3

trans-1,3,3,3- Tetrafluoroprop-1-ene : H280 Contains gas under pressure; may explode if heated.

Further information

All directives and regulations refer to amended versions.
Vertical lines in the left hand margin indicate a relevant amendment from the previous version.

Abbreviations:

EC European Community
CAS Chemical Abstracts Service
DNEL Derived no effect level
PNEC Predicted no effect level
vPvB Very persistent and very bioaccumulative substance
PBT Persistent, bioaccumulative und toxic substance

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user.

This information should not constitute a guarantee for any specific product properties.
